


PERSEA[®]
PROFILI VARI

Angolari

Winkel - profile

Angles



Disegno TB	Dimensioni			Peso gr/ml
	A	S		
5192	10	1		51
5195	10	1.5		75
5196	10	2		98
5198	12	2		119
5199	15	1		78
5200	15	1.5		115
5201	15	1.6		123
5202	15	2		151
5203	15	3		219
5204	20	1		105
5205	20	1.3		136
5206	20	1.5		156
5207	20	2		205
5208	20	3		300
7315	25	1		132
5209	25	1.5		197
5210	25	2		260
5211	25	2.5		321
5212	25	3		381
12269	29	4		584
7314	30	1		159
5213	30	1.5		237
5214	30	2		313
15445	30	2.5		389
5215	30	3		462
5216	30	4		605
23005	30	5		743
5217	35	2		367
5218	35	3		542
11931	35	4		713
7112	35	5		877
19154	35	9		1482
9274	40	1.5		318
19710	40	1.8		381
5219	40	2		421
5220	40	3		623
5608	40	4		820

Disegno TB	Dimensioni			Peso gr/ml
	A	S		
22485	40	5		1013
12303	45	1.6		382
12304	45	2		475
11930	45	4		929
9725	50	1.5		399
5221	50	2		529
5222	50	3		786
5223	50	5		1282
9733	50	6		1523
18451	60	2		637
5225	60	3		947
21526	60	4		1256
5226	60	6		1847
22515	70	6		2174
5227	70	8		2850
5957	80	3		1271
20915	80	4		1685
22564	80	6		2498
22516	80	8		3286
22514	100	10		5130

Angolari

Winkel - profiles

Angles




Disegno TB	Dimensioni			Peso gr/ml
	A	B	S	
5462	10	5	1.2	45
21721	14	10	2	119
19828	15	8	1.5	90
5133	15	10	1	65
16241	15	10	1.5	95
5135	15	10	2	124
11247	16.5	15	1.5	122
19307	17	10	1.5	106
2357	17	10	3	195
18717	17.2	7.2	1.2	76
5138	20	10	1	78
5139	20	10	1.5	116
5140	20	10	2	152
5141	20	15	1	92
5142	20	15	1.5	136
5143	20	15	2	178
11515	23.6	9	2	167
7476	24	5	2	146
2765	24	22	2	227
5461	25	7	2	162
17351	25	9.75	3	257
5427	25	10	1	92
5144	25	10	1.5	136
5145	25	10	2	178
5148	25	15	2	205
15219	25	17	2	216
7831	25	21.5	5	560
2804	28	17.8	1.2	145
5151	30	10	2	205
14802	30	15	1	119
5152	30	15	1.5	176
5153	30	15	2	232
7545	30	15	3	340
5154	30	20	1.5	196
5155	30	20	2	259
5157	30	20	3	381
22688	30	20	4	497

Disegno TB	Dimensioni			Peso gr/ml
	A	B	S	
16012	30	21	2	265
25081	32	25	4	572
22724	32.5	17	2	257
5161	35	15	2	259
5162	35	17	3	397
5422	35	20	2	286
7237	35	20	3	421
6896	35	20	4	551
6311	35	25	2	313
5165	40	10	2	259
5166	40	15	2	286
7175	40	20	1.5	237
5167	40	20	2	313
5168	40	20	3	462
11988	40	20	4	605
5169	40	25	2	340
5170	40	25	3	503
10986	40	25	4	659
5171	40	30	2	367
8630	40	30	4	713
25881	45	25	3	543
14595	45	30	3	583
20361	50	10	2	316
22532	50	13	2	330
5174	50	15	2	340
5910	50	16	3	510
5438	50	17	5	837
5175	50	20	2	367
11118	50	20	2.5	456
5176	50	20	3	543
5177	50	25	2	394
5178	50	25	3	583
20664	50	25	4	767
21109	50	30	2	422
22486	50	30	3	624
5180	50	30	5	1012
3018	55	20	2	394

Canalini

U - profiles Channels




Disegno TB	Dimensioni			Peso gr/ml
	A	B	S	
2395	5	8	1	52
18658	8.6	8	1	62
5247	10	15	1	103
6305	10	15	1.5	150
5248	10	15	2	194
25004	11	12	1.5	130
8659	12	16	1.5	166
20423	12.8	20	1.4	192
27164	13	15	1	111
5249	13	18	1	127
14550	14	10.5	2	167
2730	15	7	1.2	86
5250	15	10	1.5	130
5251	15	10	2	167
18479	15	10.5	2	173
5252	15	20	1	143
5253	15	20	2	275
9634	16	34	1	221
9654	16	35	1.5	336
9743	16.3	34	1	222
25003	17	20	1.5	219
20260	17	32	1.5	319
16683	17.5	28	1.2	230
18753	18	28	1.5	289
10164	19	20	1.5	227
5256	20	10	1	103
5257	20	10	1.5	150
6300	20	15	2	248
5259	20	25	2	356
7996	20	30	1.5	312
5260	20	40	2	518
12101	21	13	3	332
2472	21	14	2	243
6566	21.4	8	1.2	113
5909	22	20	2	313
10168	22.5	25	1.5	281
11813	25	4	1.3	107

Disegno TB	Dimensioni			Peso gr/ml
	A	B	S	
5262	25	15	2	275
5263	25	20	1.5	251
5264	25	20	2	329
11221	25	20	3	478
9854	25	30	1.3	289
5265	30	10	2	265
5266	30	15	1.5	231
5267	30	15	2	302
6793	30	20	1.5	271
5268	30	20	2	356
5447	33	25	2	427
5271	35	15	2	329
5739	35	16	3	494
5272	35	20	2	383
11038	35	22.8	2.2	452
5273	35	25	2	437
17006	35	25	3	640
16374	38	20	1.5	304
21965	38	25	2	454
21966	38	53	2	759
5274	40	10	2	302
5275	40	15	2	356
5276	40	20	2	410
10563	40	25	3	680
5277	40	35	2	572
8235	43.4	20	1.2	262
8236	43.4	40	1.2	392
21496	43.5	50	1.5	570
10213	43.8	30	1.2	328
5278	45	15	2	383
5279	45	20	2	437
10352	48	20	2	454
16727	48	28	1.3	356
6304	50	15	2	410
5280	50	20	2	464
5446	50	20	2.5	573
14156	50	25	1.5	393

Piatti

Flachstangen

Flat bars




Disegno TB	Dimensioni				Peso gr/ml
	A	B			
5001	5	3			41
9722	8	3.5			76
6595	8	6			130
19846	8.5	2.5			60
5004	10	2			54
5005	10	3			81
5402	10	4			108
14561	10	5			135
2878	10	6			162
5007	10	8			216
24155	11.5	2			63
5009	12	2			65
6672	12	4			130
5011	12	5			162
2403	12	8			260
2614	13	3			106
19957	13.5	2			73
10573	14	3			113
5013	15	2			81
13224	15	2.5			101
24005	15	8			324
5018	15	10			405
23205	15	12			489
6549	16	2			87
5405	16	3			130
9057	16	12			518
6235	18	3			146
9162	18	5			243
11523	18	9			438
21219	19	3.5			181
5023	20	2			108
5025	20	3			162
5026	20	4			216
5027	20	5			270
5028	20	6			324
5029	20	8			432
5030	20	10			540

Disegno TB	Dimensioni				Peso gr/ml
	A	B			
5031	20	12			648
5032	20	15			810
6622	22	3			178
6018	22	4			237
11939	23.5	20			1269
5033	25	2			135
5034	25	3			203
5035	25	4			270
5036	25	5			338
5037	25	6			405
5038	25	8			540
5039	25	10			675
22685	25	12			810
5040	25	15			1012
22399	25	20			1353
7819	29.5	4.85			386
5041	30	2			162
5043	30	3			243
5044	30	4			324
5045	30	5			405
5046	30	6			486
5047	30	8			648
5048	30	10			810
5049	30	15			1215
5050	30	20			1620
6956	31	4			335
10543	31	28			2344
18743	31.96	23			1988
6549	35	1.2			113
5051	35	2			189
5058	35	2.8			265
5052	35	3			284
5053	35	4			378
5054	35	5			473
5055	35	8			756
5056	35	10			945
5057	35	15			1417

Piatti

Flachstangen

Flat bars




Disegno TB	Dimensioni				Peso gr/ml
	A	B			
5058	38	2.8			287
23237	39	4			424
5059	40	2			216
5060	40	3			324
5061	40	4			432
5062	40	5			540
22759	40	6			648
5063	40	8			864
5064	40	10			1080
22686	40	12			1296
5065	40	15			1620
11507	40	16			1728
5066	40	20			2160
22687	40	25			2700
22674	40	30			3240
10544	40	31			3348
5437	45	2			243
5068	45	3			364
5069	45	4			486
5413	45	5			607
5414	45	6			729
5070	45	8			972
7627	48	6.7			868
5071	50	2			270
5072	50	3			405
5074	50	4			540
5075	50	5			675
12487	50	6			810
5076	50	7			945
5077	50	8			1080
5078	50	10			1350
5408	50	12			1620
5079	50	15			2025
22482	50	25			3375
22483	50	30			4050
22563	50	40			5400
6802	55	2			297

Disegno TB	Dimensioni				Peso gr/ml
	A	B			
22721	55	25			3713
11498	55	30			4455
5081	60	2			324
5082	60	3			486
14068	60	4			648
5083	60	5			810
5415	60	6			972
5084	60	8			1296
5085	60	10			1620
6589	60	12			1944
5086	60	15			2430
5087	60	20			3240
22484	60	25			4050
22162	60	30			4860
26155	60	35			5670
22401	60	40			6480
26158	60	50			8100
25706	64.5	5			871
15088	65	3			527
5089	70	3			567
5416	70	4			756
5090	70	5			945
5091	70	8			1512
5092	70	10			1890
26138	70	12			2268
5093	70	15			2835
26148	70	20			3780
22695	70	25			4725
24071	70	40			7560
26143	70	50			9450
25826	75	3			608
5094	80	2			432
5095	80	3			648
5096	80	5			1080
5097	80	6			1296
5098	80	8			1728
5099	80	10			2160

Piatti

Flachstangen

Flat bars



Disegno TB	Dimensioni			Peso gr/ml
	A	B		
6865	80	12		2592
22289	80	15		3243
9109	80	25		5400
22290	80	30		6483
24072	80	40		8640
22642	80	50		10800
22858	80	60		12960
5100	90	3		729
9106	90	5		1215
5101	90	6		1458
9110	90	8		1944
23321	90	10		2433
26152	90	30		7290
23217	90	60		14580
6548	92	5		1242
9719	95	25		6412
5102	100	2		540
5103	100	3		810
21110	100	4		1083
5104	100	5		1350
5105	100	8		2160
5106	100	10		2700
22049	100	12		3240
13155	100	15		4050
22611	100	20		5400
26151	100	25		6750
26156	100	40		10800
22164	100	50		13500
26157	100	60		16200
6248	103	4		1112
6355	110	10		2970
10501	110	12		3564
27186	110	15		4455
22691	120	6		1947
7388	120	8		2592
22709	120	10		3240
22726	120	15		4860

Disegno TB	Dimensioni			Peso gr/ml
	A	B		
22400	120	20		6480
26582	120	25		8100
26583	120	30		9720
26142	120	40		12960
26144	120	60		19440
5903	130	4		1404
5904	130	5		1755
19834	130	6		2106
23163	130	8		2808
8561	130	10		3510
26269	130	80		28080
5492	150	5		2025
7134	150	10		4050
7081	150	15		6075
22163	150	20		8100
26140	150	25		10125
25960	150	60		24300
26218	160	10		4320
26219	160	15		6480
21884	180	10		4860
7316	200	5		2700
22639	200	10		5400
26154	200	15		8100
22050	200	20		10800
26141	200	25		13500
26290	200	40		21600
7675	220	5		2970
7500	220	6		3564
27682	220	10		5940
22669	250	10		6750
25815	250	15		10125
25515	300	10		8100

Piatti raggiati**Flachstangen****Flat bars**


Disegno TB	Dimensioni			Peso gr/ml
	A	B	R	
9336	10	2.2	1.1	57
16461	12	2.5	1.25	77
8244	12	3	1.5	92
8162	12	6	3	173
10401	12.7	3	1.5	97
8245	15	3	1.5	116
23574	18	4	2	187
22977	20	3.5	1.75	184
3582	20	4	2	207
10502	20	4.1	2.05	212
12501	20	5	2.5	255
11520	20	8	4	395
25427	25	3	1.5	197
6812	25	4.5	2.25	292
10255	25	6	3	384
10503	30	3	1.5	238
10561	30	3.75	1.875	296
22978	30	4.75	2.375	373
11196	30	5.5	2.75	428
2627	30	6	3	465
22979	30	6.5	3.25	503
10492	30	7.5	3.75	575
7655	30	14	7	1020
24107	30	2.2	1.1	176
24106	30	3.3	1.65	262
23056	40	2	1	216
9750	40	3	1.5	319
9751	40	4	2	423
22657	40	10	5	1024
23187	47.5	7.5	3.75	932
25161	50	5	2.5	661
12137	60	3	1.5	481
11028	60	3.5	1.75	560
11452	60	5.5	2.75	873
25162	60	6	3	951
9384	60	7	3.5	1106
25163	60	8	4	1259

Disegno TB	Dimensioni			Peso gr/ml
	A	B	R	
5508	75	7	3.5	1390
25164	80	8	4	1691
12594	90	3	1.5	724
10960	90	4	2	963
10259	90	6	3	1437
10493	90	7	3.5	1673
10506	90	8	4	1907
25165	100	8	4	2123
21325	100	5.25	2.625	1545
19187	110	5.5	2.75	1618
12391	110	6	3	1761
21326	120	5.25	2.625	1688
12390	120	6	3	1923
10961	120	8	4	2554
9385	120	9	4.5	2869
25166	120	10	5	3182
18622	120	12	6	3807
12580	125	3	1.5	1007
7430	150	10	5	3992
21439	160	5.5	2.75	2360
11140	160	6	3	2570
12581	165	3	1.5	1331
11559	190	6	3	3057
12582	195	3	1.5	1574
21917	210	6.5	3.25	3662

Tubi rettangolari

Rechteck - rohre

Rectangular tubes



Disegno TB	Dimensioni			Peso gr/ml
	A	B	S	
5325	15	10	1.5	178
5326	20	8	1	140
21649	20	10	1	152
5327	20	10	1.5	219
5329	20	15	1	178
7701	20	15	1.5	259
5330	25	12	1.5	275
21754	25	20	2	443
3500	30	9	2	378
5332	30	10	1.5	300
10593	30	13.5	2	427
5333	30	15	1.5	340
5334	30	20	1.5	381
5335	30	20	2	497
20342	35	15	1.5	381
23073	35	15	2	497
5336	35	25	2	605
5337	40	10	1.5	381
22713	40	15	2	551
7113	40	20	1.5	462
5338	40	20	2	605
9720	40	20	2.5	743
11220	40	20	3	875
5610	40	25	1.5	502
5852	40	25	1.8	597
13815	40	25	3	956
9894	40	30	1	367
22621	40	30	1.5	543
9717	40	30	2	713
22640	40	30	3	1037
13880	42.5	30.5	1.5	567
12131	45	20	1.1	375
16972	45	20	1.6	534
10595	45	24	2	702
9196	48	23	1	372
21933	48	41	3	1345
11562	48.6	21.6	1.3	474

Disegno TB	Dimensioni			Peso gr/ml
	A	B	S	
7491	49	24	1.5	567
14172	50	10	1.5	462
5339	50	10	1.8	548
20574	50	15	2	662
14427	50	20	1.5	543
5456	50	20	2	713
22714	50	20	4	1340
5425	50	23	2	745
5457	50	25	2	767
9731	50	30	2	821
26893	50	30	2.5	1013
22715	50	30	3	1199
7115	50	40	1.5	705
5615	50	40	2	929
9107	50	40	2.5	1147
22587	50	40	3	1361
5340	60	10	1.5	543
10594	60	13.5	2	751
5341	60	15	1.5	583
21618	60	15	2	770
16464	60	20	1.5	624
5965	60	20	2	821
12030	60	30	1	475
7472	60	30	1.2	568
12198	60	30	1.5	705
5342	60	30	2	929
22641	60	30	3	1361
5458	60	40	2	1037
22692	60	40	2.5	1283
22693	60	40	4	1988
9732	65	30	2	983
5956	70	20	2	929
21108	70	30	2	1037
12497	71.4	32.2	1.6	868
23710	76	32.2	4	2166
11799	80	20	1	530
6021	80	20	1.2	632

Tubi tondi

Round - rohre
Round tubes



Disegno TB	Dimensioni			Peso gr/ml
	A	S		
22760	6	1		44
12962	7	1		51
20727	7.7	1.7		90
11139	8	1		59
22157	8	1.8		98
21720	9	1		71
6184	9	1.5		95
13228	10	1		76
6717	10	1.5		108
14677	10	2		136
22155	10	2.3		152
19512	10	2.9		176
5345	11	3		204
13465	12	1		93
5346	12	1.5		133
6176	12	2		170
23504	12	3		230
22156	12	3.3		246
10975	12	3.45		250
21855	12	3.75		265
21883	12	4.5		289
7625	13	1		102
9729	13	1.1		111
22679	13	2		189
5426	14	1		110
10333	14	1.5		159
10426	14	1.85		191
12772	14	2		204
16371	14	2.5		244
14879	14	4.9		378
19294	14.5	1.5		168
14678	15	1		119
5419	15	1.5		172
25234	15.9	4.7		447
7626	16	1		127
3248	16	1.5		185
6123	16	2		237

Disegno TB	Dimensioni			Peso gr/ml
	A	S		
20705	16	2.5		289
19391	16.2	1.3		165
6739	18	1		144
11655	18	1.2		171
14679	18	1.5		210
11482	18	2		211
9104	18	3		382
20167	18	4.5		516
14625	18.6	1.1		163
10540	19	1		153
5421	19	1.3		195
24184	19	1.5		225
20287	19	2		289
9721	19	3.5		460
5424	20	1		161
6908	20	1.5		235
12955	20	2		305
20483	20	2.5		373
22672	20	3		435
9113	20	3.5		490
21413	20.5	1.2		198
10256	21	1		170
16476	21	1.5		248
7458	22	1		178
13485	22	1.5		261
20728	22	2.5		416
23083	22	2.7		443
9112	22	3.5		549
26456	22	4		611
7311	22	4.5		668
11241	22	5		721
27072	22.1	1		179
23613	22.2	1		181
14626	22.5	1.2		217
26065	22.5	1.5		267
25175	23.5	1		191
22398	24	4		681

Tubi tondi
Round - rohre
Round tubes



Disegno TB	Dimensioni			Peso gr/ml
	A	S		
6175	24	4.5		744
6171	24	4.9		794
6907	25	1		203
6745	25	1.5		299
12722	25	2		391
6173	25	2.5		477
22694	25	3		562
26167	25	4		713
16318	25	4.25		748
6179	25	5		848
26304	25	6.5		1020
19387	25	10		1275
14706	25.2	2.45		473
10403	26	1		212
23614	26	1.4		295
17477	26	4.5		821
11001	27	1		220
13847	27	2		424
13165	27	3		610
27073	27.5	1.2		268
17906	28	1		229
12031	28	1.5		337
3652	28	2.5		540
23236	28	4		816
5443	28	4.25		856
14630	28.3	1.4		319
9102	30	1		246
5357	30	1.2		293
10497	30	1.5		363
27679	30	1.7		408
10739	30	2		475
5360	30	4.5		973
12255	30	6		1221
27465	30	6.5		1296
12994	32	1		263
6711	32	1.5		388
18212	32	3		738

Disegno TB	Dimensioni			Peso gr/ml
	A	S		
6808	32	5		1145
23986	33	2.5		648
9728	33	6.25		1418
6177	34	4.5		1126
15687	34	6.5		1516
17453	35	1		288
6118	35	1.5		426
19792	35	1.95		549
5367	35	2		560
14103	35	2.5		689
22443	35	3		816
5369	35	4		1052
17912	35	4.5		1164
22283	35	4.85		1242
26791	35	5		1272
22282	35	11.4		2285
7260	36	2		576
14627	37	1.6		481
7795	37	3		865
10475	38	1		314
23485	38	4		1156
14865	38	7		1841
13635	40	1		331
5454	40	1.5		490
5445	40	2		645
5372	40	2.5		795
11521	40	3		941
12254	40	5		1485
15588	40	13.75		3062
5374	41	1.5		502
22646	41	5.5		1658
12279	42	3		992
6753	42	3.5		1143
5375	42	5		1569
21644	42	7.75		2252
15902	45	1		373
5968	45	1.5		554

Tubi tondi

Round - rohre

Round tubes



Disegno TB	Dimensioni			Peso gr/ml
	A	S		
15107	45	2		729
12726	45	2.5		901
25056	45	3		1069
24697	45	10		2969
15748	45	13		3529
17648	46	1.75		657
20918	46	3		1097
14078	46.2	1.5		569
18337	46.6	1.3		500
14628	47	1.5		579
16933	47	3.5		1291
6377	48	3		1145
10988	48	3.5		1321
15737	48.3	2.25		879
24910	48.3	3.8		1434
11857	48.3	4		1503
17452	49	1		407
11115	49	8		2782
14609	50	1		416
5377	50	1.5		617
5378	50	2		814
6046	50	2.2		892
10076	50	2.5		1007
16934	50	3		1196
6642	50	4		1561
5379	50	5		1908
18919	50	7.5		2706
13582	50	8.5		2992
22034	50	10		3394
13809	50	11		3639
12250	50.2	1.8		739
24911	50.6	2.1		864
20917	50.8	1.6		670
10628	53	1.5		655
22891	53.6	1.8		792
9155	54	1.5		668
22796	54	2		883

Disegno TB	Dimensioni			Peso gr/ml
	A	S		
22518	55	1		459
24993	55	1.5		681
5445	55	2		899
8992	55	3.5		1529
22196	55	5		2123
14629	59.3	1.75		854
12086	60	1		500
16511	60	1.2		599
5453	60	1.5		744
5441	60	2		984
11449	60	2.5		1219
10498	60	3		1450
6754	60	4		1900
5970	60	5		2332
18918	60	7.5		3343
22696	60	10		4242
12579	60	11		4572
7241	60.5	2.5		1229
15967	61	1		509
23195	65	1		546
21354	65	1.3		705
14102	65	15		6362
25445	65	3.1		1628
25212	65.4	2		1076
14101	66	11.75		5407
23196	70	1		586
12982	70	1.25		729
26707	70	1.5		872
5972	70	2		1154
17747	70	2.5		1431
23822	70	3		1707
12176	70	4		2239
5793	70	5		2757
22417	70	10		5090
23069	70.8	1.5		883
5383	72	6		3359
23197	75	1		630

Tubi tondi
Round - rohre
Round tubes



Disegno TB	Dimensioni			Peso gr/ml
	A	S		
11547	75	2.5		1537
11548	75	3.5		2123
20734	75	5		2970
26020	75	10		5513
26021	75	12.5		6627
22644	76	3		1861
6332	76.2	1		638
6306	77	1.5		960
15927	80	1		670
16510	80	1.3		868
5454	80	1.5		999
7521	80	2		1323
14594	80	3		1959
24073	80	4		2582
5974	80	5		3180
18054	80	7.1		4390
21071	80	8		4887
22513	80	10		5940
18168	80.4	1.7		1135
8838	82	14		8075
24122	82.5	4.85		3197
21331	83	4		2682
19735	87	3.5		2482
12486	90	2		1493
11821	90	3.5		2568
22232	90	5		3608
22797	90	15		9545
15966	91	1.3		989
13743	91	2		1510
12544	95.5	2.8		2202
5723	96.5	1.4		1129
16113	100	1.2		1006
5439	100	2		1662
13075	100	2.5		2068
19107	100	3		2471
12958	100	5		4029
25047	100	6		4784

Disegno TB	Dimensioni			Peso gr/ml
	A	S		
22397	100	7		5525
12253	100	7.5		5885
24232	100	8		6246
16397	100	10		7634
6334	101.6	1		853
22591	102	6		4887
11979	104.5	5		4220
25337	105	15		11451
24095	106	3		2622
15965	110	1.5		1380
25799	110	2		1832
15968	110	2.5		2280
21299	110	3		2725
20733	110	5		4455
24603	110	7.5		6521
5718	111.3	1.8		1671
9017	114.3	1.8		1717
7380	115	4.5		4218
6671	115	10		8906
16743	120	2		2002
25336	120	3		2977
24294	120	5		4879
25048	120	6		5802
21072	120	8		7601
22416	120	10		9332
27607	120	25		20145
5719	125.1	1.8		1883
21364	130	2.5		2706
22697	130	3		3232
23084	130	5		5303
22731	139.7	4		4607
24428	140	3.5		4052
21482	140	7.5		8430
22197	150	2		2511
21070	150	3		3743
26793	150	4		4954
24429	150	5		6150